

# Qualified Products List

## Foodservice



### Table of Contents

<u>ENERGY STAR® Fryer</u>	<u>p. 2</u>	<u>ENERGY STAR® Rack Oven</u>	<u>p. 7</u>	<u>ENERGY STAR® Griddle</u>	<u>p. 14</u>
<u>ENERGY STAR® Steam Cooker</u>	<u>p. 5</u>	<u>ENERGY STAR® Convection Oven</u>	<u>p. 8</u>	<u>High Efficiency Conveyor Oven</u>	<u>p. 15</u>
<u>High-Efficiency Under-Fired Broiler</u>	<u>p. 6</u>	<u>ENERGY STAR® Combi Oven</u>	<u>p. 11</u>		

# Qualified Products List

## Foodservice



### Table of Contents

Page	Product	Product Requirements
2	ENERGY STAR® Fryer	Natural gas-powered commercial fryer.
5	ENERGY STAR® Steam Cooker	Natural gas-powered 6 to 10pan commercial steam cooker. Must have a minimum efficiency of 38% and a maximum idle-rate of 12,500 Btu/hr.
6	High-Efficiency Under-Fired Broiler	Natural gas-powered commercial high efficiency under fired broiler. Must meet the following criteria by size. <ul style="list-style-type: none"><li>• 3' Broiler: Preheat energy &lt;40,500 BTU, Cooking Energy &lt; 72,000 BTU</li><li>• 4' Broiler: Preheat energy 40,500 to less than 540,000 BTU, Cooking Energy 72,000 to less than 96,000 BTU</li><li>• 5' Broiler: Preheat energy 54,000 to less than 67,500 BTU, Cooking Energy 96,000 to less than 120,000 BTU</li><li>• 6' Broiler: Preheat energy 67,500 to less than 81,000 BTU, Cooking Energy 120,000 to less than 144,000 BTU</li></ul>
7	ENERGY STAR® Rack Oven	Natural gas-powered single and double rack ovens. Must have a minimum efficiency of 51% for single rack and 56% for double rack.
8	ENERGY STAR® Convection Oven	Natural gas-powered full-size single, standard convection oven. Must have a minimum energy efficiency of 46% and idle energy rated of 12,000 Btu/h.
11	ENERGY STAR® Combi Oven	Natural gas-powered commercial oven. All pan sizes of ovens are allowed.
14	ENERGY STAR® Griddle	Natural gas-powered, single-side Commercial Griddle. All widths of griddles are allowed. Double sided, clamshell griddles are not eligible.
15	High-Efficiency Conveyor Oven	Natural gas-powered Conveyor Ovens that have a cooking chamber area of less than 1,520 sq. inches with a minimum efficiency of 37% and natural gas Conveyor Ovens with a cooking chamber area of greater than 1,520 sq. inches with a minimum efficiency of 45%.

# ENERGY STAR® Fryer—Minimum customer discount of \$300/vat

Page 1 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

## Anets

MODEL	MUST BE IN TEMPLATE AS
AV40	Same Model Number (See Left)
AGP55	<b>AGP55</b>
SFAGP55	Input Required for PPC
AGP60	<b>AGP60</b>
SFAGP60	Input Required for PPC
AGP60W	<b>AGP60W</b>
SFAGP60W	Input Required for PPC
AGP75	<b>AGP75</b>
SFAGP75	Input Required for PPC

## Electrolux

MODEL
AFRG16

## Henny Penny

MODEL
OFG-32#
EEG-15#
EEG-16#
EEG-24#
EEG-25#
OGA-32#

## Pitco

MODEL
AV70
SOHF55
SFSOH55
SOH55
SGC
SSH55
SSHF55
SFSSH55
MGI
SGH50
SSH60W
SSH60W

## Pitco *continued*

MODEL
SFSSH75
SSH75
SSH75
SFSSH14
SSH14
SSH14
SFSSH60W
SSH60
SFSSH60
VF35
VF65

## Royal Range

MODEL	MUST BE IN TEMPLATE AS
REEF-35	Same Model Number (See Left)
RHEF-45	Same Model Number (See Left)
RHEF-75-CM/DM/EM	<b>RHEF-75-CM/DM/EM</b>
RHEF-75-EM	Input Required for PPC



# ENERGY STAR® Fryer—Minimum customer discount of \$300/vat

Page 2 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

## Frymaster

MODEL	MUST BE IN TEMPLATE AS
ESG35T	Same Model Number (See Left)
LHD#65	<b>LHD#65</b> Input Required for PPC
LHD165	
FPLHD265	
FPLHD365	
FPLHD465	
FPLHD565	
FPLHD665	
FPGL#30	<b>FPGL#30</b> Input Required for PPC
FPGL130	
FPGL230	
FPGL330	
FPGL430	
FPGL530	
2FQG30U	<b>2FQG30U</b> Input Required for PPC
3FQG30U	
4FQG30U	
5FQG30U	<b>FPGL#30</b> Input Required for PPC
FMGL130	
FMGL230	
FMGL330	
FMGL430	
FMGL530	
#1814G	<b>#1814G</b> Input Required for PPC
11814G	
21814G	
31814G	
41814G	
11814GF	
21814GF	
31814GF	
41814GF	

## Frymaster *continued*

MODEL	MUST BE IN TEMPLATE AS
HD#50G	<b>HD#50G</b> Input Required for PPC
HD150G	
HD250G	
HD350G	
HD450G	
HD550G	
HD650G	
SCFHD250G	
SCFHD350G	
SCFHD450G	
SCFHD550G	
SCFHD650G	
YCFH114G	
YSCFH214G	
CFHD150G	<b>HD#50G</b> Input Required for PPC
YSCFH314G	
YSCFH414G	
YCFH#50G	
YSCFH#50G	<b>HD#50G</b> Input Required for PPC
YSCFH314	
YSCFH414	

# ENERGY STAR® Fryer—Minimum customer discount of \$300/vat

Page 3 of 3

## Frymaster

MODEL	MUST BE IN TEMPLATE AS
BIPH#55	
BIPH155	
BIPH255	
BIPH355	
BIPH455	
BIPH555	
BIPH655	
FMPH#55	
FMPH155	
FMPH255	
FMPH355	
FMPH455	
FMPH555	
FMPH655	
FPH#55	
FPH155	
FPPH#55	
FPPH255	
FPPH355	
FPPH455	
FPPH555	
FPPH655	
MPH#55	
PH#55	
PH#55	
PH155	
PH255	
PH355	
PH455	
PH555	
PH655	

**PH#55**  
Input Required for PPC

## Vulcan

MODEL	MUST BE IN TEMPLATE AS
1VEG35M-1	<b>1VEG35M-1</b>
1VEG35M-2	Input Required for PPC
TR45A	
TR45C	<b>TR45A</b>
TR45D	Input Required for PPC
VFRY18	
TR65A	Same Model Number (See Left)
TR65C	Same Model Number (See Left)
TR65D	Same Model Number (See Left)
TR85A	Same Model Number (See Left)
TR85C	Same Model Number (See Left)
TR85D	Same Model Number (See Left)
VK45	Same Model Number (See Left)
VK65	Same Model Number (See Left)
VK85	Same Model Number (See Left)

## Ultrafryer

MODEL	MUST BE IN TEMPLATE AS
P30-RS	Same Model Number (See Left)
BP20-20	Same Model Number (See Left)
BP30-20	Same Model Number (See Left)
P20-18	Same Model Number (See Left)
P20-20	Same Model Number (See Left)
P30-14	Same Model Number (See Left)
P30-18	Same Model Number (See Left)
IR-18	Same Model Number (See Left)
IR-20	Same Model Number (See Left)
IRD-14	<b>IRC-14-B</b>
	Input Required for PPC
IRD-14	<b>IRD-14</b>
	Input Required for PPC
IRM-14	
IRC-14	
IRS-14	<b>IRC-14</b>
	Input Required for PPC
IRC-14-B	

# ENERGY STAR® Steam Cooker – Minimum customer discount of \$400/unit

Page 1 of 1

## Accutemp

---

MODEL

---

N61201D060

N61201E060

## Cleveland Range

---

MODEL

---

24CGA10.2ES

24CGA6.2SES

22CGT6.1

## Market Forge

---

MODEL

---

Sirius II-8

Sirius II-10

Sirius II-6

ETP-10G

# High-Efficiency Under-Fired Broiler—Minimum customer discount of \$300/unit

Page 1 of 1

---

## Vulcan

---

MODEL

---

VTEC36

VTEC48

VTEC60

# ENERGY STAR® Rack Oven

Page 1 of 1

## Single rack—Minimum customer discount of \$300/unit

### **Baxter**

---

MODEL

---

OV500G1-EE

OV520G2

### **LBC Bakery Equipment**

---

MODEL

---

LRO-1G6

### **Revent**

---

MODEL

---

726 G CG U

ONE26

## Double rack—Minimum customer discount of \$360/unit

### **Baxter**

---

MODEL

---

OV500G2-EE

### **LBC Bakery Equipment**

---

MODEL

---

LRO-2G5

LRO-2G6

### **Revent**

---

MODEL

---

724

### **Belshaw Adamatic**

---

MODEL

---

OVEN-2020



# ENERGY STAR® Convection Oven—Minimum customer discount of \$300/unit

Page 1 of 3

## American Range

MODEL	MUST BE IN TEMPLATE AS
MSD-1	<b>MSD-1</b> Input Required for PPC
MSD-2	

## Atosa/CookRite

MODEL	MUST BE IN TEMPLATE AS
ATCO-513A	<b>ATCO-513A</b> Input Required for PPC
ATCO-513A-D	
ATCO-513B	
ATCO-513B-D	

## Bakers Pride

MODEL	MUST BE IN TEMPLATE AS
GDCO-G1	<b>GDCO-G1</b> Input Required for PPC
BCO-G1	
BCO-G2	
CO11-G1	
CO11-G2	
GDCO-G2	

## Blodgett

MODEL	MUST BE IN TEMPLATE AS
DFG-100-ES	<b>DFG-100-ES</b> Input Required for PPC
BDO-100-G-ES	
DFG-100-K12-ES	
Zephaire-100-G-ES	<b>Zephaire-200-G-ES</b> Input Required for PPC
Zephaire-200-G-ES	
DFG-200-ES	
DFG-200-K12-ES	<b>HV-100G</b> Input Required for PPC
HV-100G	
HVH-100G	

## BKI

MODEL	MUST BE IN TEMPLATE AS
COB-GS	<b>COB-GS</b> Input Required for PPC
COB-GD	
COM-GS	
COM-GD	

## Duke

MODEL	MUST BE IN TEMPLATE AS
613-G1V	Same Model Number (See Left)
613-G1XX	Same Model Number (See Left)
613Q-G1V	Same Model Number (See Left)
613Q-G1XX	Same Model Number (See Left)
613-G2V	Same Model Number (See Left)
613-G2XX	Same Model Number (See Left)
613Q-G2V	Same Model Number (See Left)
613Q-G2XX	Same Model Number (See Left)
E102-G	Same Model Number (See Left)

## Garland

MODEL	MUST BE IN TEMPLATE AS
MCO-GS-10ESS	Same Model Number (See Left)
SCO-GS-10ESS	Same Model Number (See Left)

## Gusto Equipment

MODEL	MUST BE IN TEMPLATE AS
GUSC01-SNG-NAT	Same Model Number (See Left)

## Lang

MODEL	MUST BE IN TEMPLATE AS
GCSF-ES	<b>GCSF-ES</b> Input Required for PPC
GCSF-EZ	

# ENERGY STAR® Convection Oven—Minimum customer discount of \$300/unit

Page 2 of 3

## Moffat, Blue Seal, Grupo Alpha

MODEL	MUST BE IN TEMPLATE AS
G32D5	Same Model Number (See Left)

## Montague

MODEL	MUST BE IN TEMPLATE AS
HX63A	<b>HX63A</b> Input Required for PPC
HX2-63A	
HX2-63AH	
HX2-63AR	
HX63AH	
HX63AR	

## Southbend

MODEL	MUST BE IN TEMPLATE AS
BGS/13SC	<b>BGS/13SC</b> Input Required for PPC
BGS/23SC	
BGS/13CCH	
BGS/23CCH	
KLGS/13SC	
KLGS/23SC	
KLGS/13CCH	
KLGS/23CCH	
SLGS/13SC	
SLGS/23SC	
SLGS/13CCH	
SLGS/23CCH	
GS/13SC	
GS/23SC	
GS/13CCH	
GS/23CCH	
GS/15SC	<b>GS/15SC</b> Input Required for PPC
GS/25SC	
GS/15CCH	
GS/25CCH	

## Padela

MODEL	MUST BE IN TEMPLATE AS
PCFCO-1	Same Model Number (See Left)

## Revent

MODEL	MUST BE IN TEMPLATE AS
ONE39	Same Model Number (See Left)

## Royal Range of California

MODEL	MUST BE IN TEMPLATE AS
RCOS-1	<b>RCOS-1</b> Input Required for PPC
RCOS-2	

## Southbend *continued*

MODEL	MUST BE IN TEMPLATE AS
KLGS/17SC	<b>KLGS/17SC</b> Input Required for PPC
KLGS/27SC	
KLGS/17CCH	
KLGS/27CCH	
GS/17SC	
GS/27SC	
GS/17CCH	
GS/27CCH	
SLGS/17SC	
SLGS/27SC	
SLGS/17CCH	
SLGS/27CCH	
BGS/17SC	
BGS/27SC	
BGS/17CCH	
BGS/27CCH	
PCR-1G	<b>SLGS/12SC (W/ NRG)</b> <b>(W/ NRG)</b> Input Required for PPC
PCR-2G	
SLGS/12SC (W/ NRG)	
SLGS/22SC	
SLGS/12CCH	<b>SLGS/12SC (W/ NRG)</b> Input Required for PPC
SLGS/22CCH	

# ENERGY STAR® Convection Oven—Minimum customer discount of \$300/unit

Page 3 of 3

## Tri-Star

MODEL	MUST BE IN TEMPLATE AS
TSCO-G1	Same Model Number (See Left)
TSCO-G2	Same Model Number (See Left)

## US Range

MODEL	MUST BE IN TEMPLATE AS
SUMG-GS-10ESS	Same Model Number (See Left)

## Vulcan

MODEL	MUST BE IN TEMPLATE AS
SG6	Same Model Number (See Left)
VC4GD	
VC4GC	<b>VC4GD</b>
VC6GC	Input Required for PPC
VC6GD	
VC55G	Same Model Number (See Left)
VC5G	Same Model Number (See Left)

## Vulcan/Wolf

MODEL	MUST BE IN TEMPLATE AS
SG4	Same Model Number (See Left)
SG44	Same Model Number (See Left)
VC4GD	Same Model Number (See Left)
VC6GD	Same Model Number (See Left)

## Wolf

MODEL	MUST BE IN TEMPLATE AS
WKGC1	Same Model Number (See Left)
WKGC2	Same Model Number (See Left)
WKGD1	Same Model Number (See Left)
WKGD2	Same Model Number (See Left)

# ENERGY STAR® Combi-Oven—Minimum customer discount of \$500/unit

Page 1 of 3

## Alto-Shaam

MODEL	MUST BE IN TEMPLATE AS
CTC7-20G	Same Model Number (See Left)
CTP20-20G	Same Model Number (See Left)
CTP7-20G	Same Model Number (See Left)

## Angelo Po

MODEL	MUST BE IN TEMPLATE AS
FX122G3	<b>FX122G3</b> Input Required for PPC
FX122G3C	
FX122G3CT	
FX122G3TR	
FX122G3T	Same Model Number (See Left)
FX202G3	Same Model Number (See Left)
FX202G3R	Same Model Number (See Left)
FX82G3	<b>FX82G3</b> Input Required for PPC
FX82G3R	
FX82G3CT	
FX82G3TR	
FX122G3T	Same Model Number (See Left)

## Convotherm

MODEL	MUST BE IN TEMPLATE AS
C4eD10.20GS	Same Model Number (See Left)
c4eD20.20GB	Same Model Number (See Left)
C4eD6.20GB	Same Model Number (See Left)
C4eD6.20GS	Same Model Number (See Left)
C4eT10.20GS	Same Model Number (See Left)
c4eT20.20GB	Same Model Number (See Left)
C4eT6.20GB	Same Model Number (See Left)
C4ET6.20GS	Same Model Number (See Left)

## Electrolux

MODEL	MUST BE IN TEMPLATE AS
COG11T30	<b>COG11T30</b> Input Required for PPC
COG11D30	
COG11D3K	
COG11T3K	<b>COG61T30</b> Input Required for PPC
COG61T30	
COG61D30	
COG61D3K	
COG61T3K	

## Lainox

MODEL	MUST BE IN TEMPLATE AS
NAGB071	<b>NAGB071</b> Input Required for PPC
NAGB071R	
NAGB071RUS	
NAGB071US	
SAGB071R	
SAGB071RUS	<b>NAGB072</b> Input Required for PPC
NAGB072	
NAGB072R	
NAGB072RUS	
NAGB072US	<b>NAGB101</b> Input Required for PPC
SAGB072R	
SAGB072RUS	
NAGB101	
NAGB101R	
NAGB101RUS	<b>NAGB102</b> Input Required for PPC
NAGB101US	
SAGB101R	
SAGB101RUS	
NAGB102	
NAGB102R	
NAGB102RUS	
NAGB102US	
SAGB102R	
SAGB102RUS	

# ENERGY STAR® Combi-Oven—Minimum customer discount of \$500/unit

Page 2 of 3

## Lainox *continued*

MODEL	MUST BE IN TEMPLATE AS
NAGB201	<b>NAGB201</b> Input Required for PPC
NAGB201R	
NAGB201RUS	
NAGB201US	
SAGB201R	
SAGB201RUS	
NAGB202	<b>NAGB202</b> Input Required for PPC
NAGB202R	
NAGB202RUS	
NAGB202US	
SAGB202R	
SAGB202RUS	
NAGV071	<b>NAGV071</b> Input Required for PPC
NAGV071R	
NAGV071RUS	
NAGV071US	
SAGV071R	
SAGV071RUS	
NAGV072	<b>NAGV072</b> Input Required for PPC
NAGV072R	
NAGV072RUS	
NAGV072US	
SAGV072R	
SAGV072RUS	
NAGV101	<b>NAGV101</b> Input Required for PPC
NAGV101R	
NAGV101RUS	
NAGV101US	
SAGV101R	
SAGV101RUS	

## Lainox *continued*

MODEL	MUST BE IN TEMPLATE AS
NAGV102	<b>NAGV102</b> Input Required for PPC
NAGV102R	
NAGV102RUS	
NAGV102US	
SAGV102R	
SAGV102RUS	
NAGV201	<b>NAGV201</b> Input Required for PPC
NAGV201R	
NAGV201RUS	
NAGV201US	
SAGV201R	
SAGV201RUS	
NAGV202	<b>NAGV202</b> Input Required for PPC
NAGV202R	
NAGV202RUS	
NAGV202US	
SAGV202R	
SAGV202RUS	

## Rational

MODEL	MUST BE IN TEMPLATE AS
CMP 61G	Same Model Number (See Left)
CMP 62G	Same Model Number (See Left)
LM100BG	<b>LM100BG</b> Input Required for PPC
CB1GRRRA.0000230 iCombi ICP 6-HALF NG	
CB1GRRRA.0000231 iCombi ICP 6-HALF NG	<b>LM100CG</b> Input Required for PPC
LM100CG	
CC1GRRRA.0000238 iCombi ICP 6-FULL NG	<b>LM100DG</b> Input Required for PPC
LM100DG	
CD1GRRRA.0000234 iCombi ICP 10-HALF NG	
CD1GRRRA.0000235 iCombi ICP 10-HALF NG	

# ENERGY STAR® Combi-Oven—Minimum customer discount of \$500/unit

Page 3 of 3

## Rational *continued*

MODEL	MUST BE IN TEMPLATE AS
LM100EG CE1GRRA.0000240 iCombi ICP 10-FULL NG	<b>LM100EG</b> Input Required for PPC
LM100FG CF1GRRA.0000242 iCombi ICP 20-HALF NG	<b>LM100FG</b> Input Required for PPC
LM100GG CG1GRRA.0000245 iCombi ICP 20-FULL NG	<b>LM100GG</b> Input Required for PPC
SCC WE 101G	Same Model Number (See Left)
SCC WE 102G	Same Model Number (See Left)
SCC WE 201G	Same Model Number (See Left)
SCC WE 202G	Same Model Number (See Left)
SCC WE 61G	Same Model Number (See Left)
SCC WE 62G	Same Model Number (See Left)

## UNOX S.p.A.

MODEL	MUST BE IN TEMPLATE AS
XAVC-06FS-GPa-xx XAVC-06FS-GPL	<b>XAVC-06FS-GPa-xx</b> Input Required for PPC
XAVC-1011-GP*-* XAVC-1011-GPL XAVC-1011-GPL-* XAVC-1011-GPR XAVC-1011-GPR-*	<b>XAVC-1011-GP*-*</b> Input Required for PPC
XAVC-10FS-GPa-xx	Same Model Number (See Left)
XAVC-16FS-GPx XAVC-16FS-GPL	<b>XAVC-16FS-GPx</b> Input Required for PPC
XAVL-2021-GP*S-**	Same Model Number (See Left)
XAVL-2021-NP*S-**	Same Model Number (See Left)
XEVC-0711-GP*-*	Same Model Number (See Left)
XEVC-1011-GP*M-**	Same Model Number (See Left)
XEVL-2011-GP*-*	Same Model Number (See Left)
XEVL-2021-GP*-*	Same Model Number (See Left)



# ENERGY STAR® Griddle—Minimum customer rebate of \$500/unit

Page 1 of 1

## AccuTemp

### MODEL

GGF\*\*\*\*24

GGF\*\*\*\*36

GGF\*\*\*\*48

PGF\*\*\*\*24

PGF\*\*\*\*36

PGF\*\*\*\*48

## Electrolux

### MODEL

ARG36FR

ARG48FR

## Imperial

### MODEL

IHEG-36-J

IHEG-48-J

IHEG-60-J

IHEG-72-J

IHEG-36-JS

IHEG-48-JS

IHEG-60-JS

IHEG-72-JS

## Vulcan-Hart

### MODEL

VCCG36-IS02

VCCG36-IS01

VCCG48-IS01

VCCG48-IS02

VCCG60-IS01

VCCG60-IS02

VCCG72-IS01

VCCG72-IS02

VCCG36-IR01

VCCG36-IR02

VCCG48-IR01

VCCG48-IR02

VCCG60-IR01

VCCG60-IR02

VCCG72-IR01

VCCG72-IR02

VCCG36-AS01

VCCG36-AS02

VCCG48-AS01

VCCG48-AS02

VCCG48-SNC1

VCCG48-SNC2

VCCG60-AS01

## Vulcan-Hart *continued*

### MODEL

VCCG60-AS02

VCCG60-SNC1

VCCG60-SNC2

VCCG72-AS01

VCCG72-AS02

VCCG72-SNC1

VCCG72-SNC2

VCCG36-IC02

VCCG36-IC01

VCCG48-IC01

VCCG48-IC02

VCCG60-IC01

VCCG60-IC02

VCCG24-IC02

VCCG24-IC01

VCCG36-AR01

VCCG36-AR02

VCCG48-AR01

VCCG48-AR02

VCCG60-AR01

VCCG60-AR02

VCCG72-AR01

VCCG72-AR02

# Energy-efficient Conveyor Oven

Page 1 of 1

## Less than 1,520 in<sup>2</sup> cooking chamber — Minimum customer rebate of \$100/unit

### Lincoln

MODEL

1600 Impinger

### XLT

MODEL

3240-HP

## Greater than or equal to 1,520 in<sup>2</sup> cooking chamber — Minimum customer rebate of \$220/unit

### Middleby

MODEL

PS570G

PS670G

PS770G

PS870G

PS970G

### XLT

MODEL

3255

3255D

3870-2B

3855

3270-2B

3270

